




<b>Issue Classification</b> 	<b>Application/Control No.</b> 10/030,763	<b>Applicant(s)/Patent under Reexamination</b> ADAM ET AL.
	<b>Examiner</b> Thomas M. Ho	<b>Art Unit</b> 2134

ISSUE CLASSIFICATION												
ORIGINAL					INTERNATIONAL CLASSIFICATION							
CLASS		SUBCLASS			CLAIMED				NON-CLAIMED			
380		255			H	04	L	9	/00			/
CROSS REFERENCES									/			/
CLASS	SUBCLASS (ONE SUBCLASS PER BLOCK)								/			/
713	169								/			/
705	53								/			/
									/			/
									/			/
									/			/
									/			/

Thomas Ho 6/25/06 (Assistant Examiner) (Date)	 <b>GILBERTO BARRON JR.</b> SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100 7/24/06	<b>Total Claims Allowed: 49</b>
 (Legal Instruments Examiner) (Date)	O.G. Print Claim(s) 1	O.G. Print Fig. 1

<input checked="" type="checkbox"/> Claims renumbered in the same order as presented by applicant										<input type="checkbox"/> CPA		<input type="checkbox"/> T.D.		<input type="checkbox"/> R.1.47		
Final	Original		Final	Original		Final	Original		Final	Original		Final	Original		Final	Original
	1			31			61			91			121			151
	2			32			62			92			122			152
	3			33			63			93			123			153
	4			34			64			94			124			154
	5			35			65			95			125			155
	6			36			66			96			126			156
	7			37			67			97			127			157
	8			38			68			98			128			158
	9			39			69			99			129			159
	10			40			70			100			130			160
	11			41			71			101			131			161
	12			42			72			102			132			162
	13			43			73			103			133			163
	14			44			74			104			134			164
	15			45			75			105			135			165
	16			46			76			106			136			166
	17			47			77			107			137			167
	18			48			78			108			138			168
	19			49			79			109			139			169
	20			50			80			110			140			170
	21			51			81			111			141			171
	22			52			82			112			142			172
	23			53			83			113			143			173
	24			54			84			114			144			174
	25			55			85			115			145			175
	26			56			86			116			146			176
	27			57			87			117			147			177
	28			58			88			118			148			178
	29			59			89			119			149			179
	30			60			90			120			150			180